

DATE: _____ CONTACT NAME: _____

[illegible]

EAGLE GAS

1 OK 3

3/11/04

TIER 2 EXT 3/18/04
DUE

JON HOBILL
LARRY
CYNTHIA SARAN
TED KASCHAK

3 POTENTIAL WATER SUPPLIES
COMPLICATED ON FLOW
DRAINAGE LINE (RECENT)

DEP'S GOAL

MONS COULD BE ISSUED NOW

1 ACO, MAY BE TWO BY END OF APRIL
NEED TO GET UNDER CONTROL

SREM BY END OF SEPT
CRD

PHASE II/III BY END OF YR

DID NOT TIER CLASSIFY
NASA'S 1ST RELEASE

IRA'S NEARLY ALL IN NON-COMPLIANCE
RELEASES APPEAR TO BE COMING

DEP WANTS LINK

3 USFS OR 4?

NO PLUMB MAP SHOWING AREAL EXTENT

DETACHED RELEASES

FINANCIAL RESTRAINTS

LAGUE GAS

3/11/04

NANTHA'S SALE TO NANTA

2 OF 3

SPEC PLAN

NEED ALL PRIVATE WELLS ON ONE PLAN
SCREEN DEPTHS

FELS

SPEC PLAN

SYNTHETIC RIMS

SPEC PLAN

CANTHA NOT BUYING GAS DATA RE NANTHA WILL

TEO WOULD LIKE 13333 LINKED W/ 12848

"EVERYBODY SHOULD SIGN IN" - JON

CONSTRUCTION DETAILS OF STORMWATER SYSTEM
LENGTH OF BELL + SPIGOT, DEPTH

IS GAS STATION SELLING COFFEE?

1998 - TOM POTTER OBSERVED CO
BOTTLES WATER

— JUNE SET OF VETS HAD "DRAINAGE PIPE"

(MW-A) "NEEDS TO BE RENAMED" - CIB

OLD VETS NOT REMOVED

4/25/98 PRANDINIK'S WATER REPORT

CONTAMINATED SOIL

WHAT ARE USIS MADE OF?

ALCO OSHOINE 4/30/04

PUBLIC RINDS SIDE 😊

NO KINSHIP

TSO + I TAU 3/17